



ISSN: 2454-9940



**INTERNATIONAL JOURNAL OF APPLIED
SCIENCE ENGINEERING AND MANAGEMENT**

E-Mail :
editor.ijasem@gmail.com
editor@ijasem.org

www.ijasem.org

AUTONOMOUS MOBILE ROBOT FOR MILITARY SERVICES

¹Mr .D.Rakesh, ²D.Mahitha, ³B.Sarvesh, ⁴D.Varshitha, ⁵N.Pavan Kamar

¹Assistant professor, Department: Electronics and Communication Engineering, DVR & Dr.Hs MIC College Of Technology, Kanchikacherla, NTR District, Andhra Pradesh

^{2,3,4,5} Student, Department: Electronics and Communication Engineering, DVR & Dr.Hs MIC College Of Technology, Kanchikacherla, NTR District, Andhra Pradesh

ABSTRACT:

Most of the Defense organization now takes the help of robots to carry out many risky jobs that cannot be done by the soldier. These robots used in Defense are usually employed with the integrated system, including video screens, sensors, laser gun, metal detector and cameras. The Defense robots also have different shapes according to the purposes of each robot. Here the new system is proposed with the help of wireless camera through we can trace out the intruders (unknown persons) and the robot will be employed with integrated systems, including video camera, sensors, gripper and a weapon. Thus the proposed system, an Multi-functional defense Robot using wireless network Wifi through we can update the data to web page server. This is specially designed robotic system to save human life and protect the country from enemies.

Keywords: *Wifi, ESP32, Arduino, Ultrasonic sensor, IOT platform.*

I INTRODUCTION

The introduction of an autonomous mobile robot tailored for military services, employing Arduino microcontrollers and ESP32 cameras, represents a significant advancement in modern warfare technology. Designed to fulfill a myriad of critical tasks ranging from reconnaissance to surveillance and even payload delivery, these robots offer unparalleled versatility and efficiency on

the battlefield. By integrating Arduino's robust control capabilities with the high-resolution imaging capabilities of ESP32 cameras, military units gain access to a sophisticated and cost-effective solution for enhancing situational awareness and executing missions with precision and agility. Incorporating state-of-the-art hardware components and intelligent algorithms, these autonomous mobile robots navigate complex terrains

autonomously while capturing real-time visual data through ESP32 cameras, enabling commanders to make informed decisions in dynamic operational environments. With the ability to execute predefined missions or adapt to evolving scenarios on the fly, these robots minimize the risk to human personnel while maximizing operational effectiveness. Moreover, their modular design facilitates customization to meet specific mission requirements, whether it involves stealthy reconnaissance missions or providing support during urban operations. As military forces worldwide embrace the era of unmanned systems, the deployment of autonomous mobile robots underscores a paradigm shift in military strategy, emphasizing the fusion of cutting-edge technology with strategic foresight to gain the tactical edge on the modern battlefield.

II LITERATURE SURVEY

[1]IoT BASED MILITARY ROBOT USING RASPBERRY

The system proposed in this project consists of a single unit, which will monitor the environment in various hazardous conditions and provide live video feedback. Basics of robotics like sensors and actuators, gives an overview on robotic construction. The proposed system is also able to capture real-time

videos which are useful for surveillance for a specific person or area. Controlling of Robot is done using a Raspberry Pi3 processor. This robot is more comfortable for military applications such as surveillance of interested area.

[2] IoT Based Vehicle Robot for Military Services

This paper presents a modern approach for surveillance at remote and border areas Tank, any heavily armed and armored combat vehicle. The aim is to control that tank using wireless media; In this project the goal is to use IOT for controlling a War Robot. Which was successfully in achieved here. This robot runs well and it can be controlled by Android Phone or any compute.

[3] Vision Based Robotics System for Military Application-Design Real Time Validation This paper presents the design, implementation and validation of a Digital Signal Processor (DSP)-based Prototype facial recognition and verification system. This system is organized to capture an image sequence, find facial features in the images, and recognize and verify a person. The current implementation uses images captured using a WebCam, compares it to a stored database using methods of Principal Component Analysis (PCA) and Discrete Cosine Transform (DCT).

[4] 10T Based Multifunctional War Architecture Terror Bot Most of the Defence organization now takes the help of robots to carry out many risky jobs that cannot be done by the soldier. These robots used in Defence are usually employed with the integrated system, including video screens, sensors, laser gun, metal detector and cameras. The Defence robots also have different shapes according to the purposes of each robot. Advantages: Here the new system is proposed with the help of wireless camera through which we can trace out the intruders (unknown persons) and the robot will be employed with integrated systems, including video camera, sensors, gripper and a weapon.

[5] Wireless Multifunctional Robot for Military Applications Abstract—This paper presents a modern approach for surveillance at remote and border areas using multifunctional robot based on current 3G technology used in defence and military applications. This robotic vehicle has ability to substitute the soldier at border areas to provide surveillance. The robotic vehicle works both as autonomous and manually controlled vehicle using internet as communication medium. This multisensory robot used to detect human,


bombs, harmful gases and fire at remote and war field areas.

[6] Mobile Operated Spy Robot In the recent development and trend most of the Defense organization now takes the help of robots to carry out many risky jobs that cannot be done by the soldier. These robots used in Defense are usually employed with the integrated system, including video screens, sensors, metal detector and cameras. The Defense robots also have different shapes according to the purposes of each robot. Here the new system is proposed with the help of wireless camera through which we can trace out the intruders and the robot will be employed with integrated systems. Thus the proposed system, a Multifunctional Robot using Internet of Things with wireless network GSM through which we can update the data to web page server and control remotely. This is specially designed robotic system to save human life and protect the country from enemies. Advantages - They have proposed a design where a robot which is operated with the help of mobile phone calls based on Dual Tone Multi frequency (DTMF) code. Here they have DTMF decoder which decodes the frequency of the voice and commands the robot. Disadvantages - The main

drawback here is that there is chance of signals being interpreted

III PROPOSED SYSTEM

National Security problem rises with major threats, even if government provide bulletproof jackets and quality guns to our armed forces yet it is hard to resolve issues. In situations where military personnel are unable to exert more force than what is humanly possible. Army person loses the life. The problem is to design and develop an Arduino controlled spy robot that can be operated wirelessly using an Android application, with a focus on its deployment in war fields. The robot should have the capability to move in all directions and turn 360 degrees, with a wireless camera that can transmit real-time video to the operator's device. The wireless communication between the robot and the operator's device should be reliable and secure, with a user-friendly interface for the Android application that allows easy control of the robot. Ultimately, the spy robot should provide real-time information to assist soldiers in collecting intelligence and planning their operations by providing them with a better understanding of the terrain and potential threats.



IV WORKING METHODOLOGY

The working methodology of an autonomous mobile robot tailored for military services, utilizing Arduino and ESP32 camera technologies, hinges on a sophisticated integration of hardware and software functionalities. At its core, the robot operates on a set of predefined algorithms programmed into the Arduino microcontroller, dictating its movement, decision-making processes, and response mechanisms. Equipped with sensors for detecting obstacles, terrain variations, and environmental cues, the robot employs a combination of navigation techniques, including dead reckoning and sensor fusion, to autonomously traverse diverse terrains while avoiding collisions and hazards.

Meanwhile, the ESP32 camera module serves as the robot's visual perception system, capturing high-resolution images and video footage of the surrounding environment in real-time. These visual data inputs are then processed using

computer vision algorithms, enabling the robot to recognize and classify objects, identify potential threats, and gather intelligence vital for mission success. Through continuous feedback loops between the Arduino control system and the ESP32 camera, the robot dynamically adjusts its trajectory, speed, and operational parameters to optimize performance and achieve mission objectives. By leveraging the collective capabilities of Arduino and ESP32 technologies, these autonomous mobile robots offer military forces a force multiplier, enhancing situational awareness, operational flexibility, and mission effectiveness on the modern battlefield.




Fig.1. Hardware kit.

The implementation of an autonomous mobile robot for military services utilizing Arduino and ESP32 camera technology involves a systematic integration of hardware and software components to achieve robust functionality. Firstly, the hardware setup comprises a rugged chassis equipped with motors and wheels for mobility, coupled with an Arduino microcontroller board serving as the brain of the robot. Additionally, an ESP32 camera module is strategically mounted to provide visual perception capabilities. This hardware ensemble is complemented by an array of sensors such as ultrasonic or infrared sensors for obstacle detection, gyroscopes for orientation sensing, and GPS modules for navigation assistance. Through careful wiring and configuration, these components are interconnected to form a cohesive system, enabling the robot to perceive its surroundings, make decisions, and execute tasks autonomously.

In terms of software implementation, the Arduino microcontroller is programmed with algorithms for controlling motor movements, processing sensor inputs, and executing higher-level decision-making processes. These algorithms encompass navigation routines for path planning and obstacle avoidance, as well

as image processing algorithms for object detection and target recognition, utilizing the visual data acquired from the ESP32 camera. Additionally, communication protocols are established to facilitate data exchange between the robot and remote command centers, enabling operators to monitor the robot's status, issue commands, and receive real-time updates on mission progress. By leveraging the versatility and computational power of Arduino and ESP32 platforms, this implementation delivers a robust and scalable solution for military applications, empowering units with enhanced reconnaissance capabilities, logistical support, and tactical advantage in the field.

CONCLUSION

In conclusion, the development and deployment of autonomous mobile robots tailored for military services, leveraging Arduino and ESP32 camera technologies, represent a significant advancement in modern warfare capabilities. These robots offer a versatile and cost-effective solution for a wide range of critical tasks, including reconnaissance, surveillance, and logistical support, while minimizing risks to human personnel. By integrating Arduino microcontrollers for precise control and ESP32 cameras for advanced

visual perception, these robots can navigate complex terrains, detect obstacles, and identify targets with unprecedented accuracy and efficiency. Moreover, the implementation of sophisticated algorithms enables these robots to operate autonomously, adapting to dynamic operational environments and executing missions with precision and agility. As military forces worldwide continue to invest in unmanned systems, the autonomous mobile robot represents a force multiplier, enhancing situational awareness, operational flexibility, and mission effectiveness on the modern battlefield. Moving forward, ongoing research and development efforts will further refine these technologies, ensuring that autonomous mobile robots remain at the forefront of military innovation, delivering strategic advantages to military forces around the globe.

REFERENCES

- [1] Lavanya K N, Ramya Shree D, Nischitha B R, T Asha and C Gururaj "Vision Interfaced War Field Robot With Wireless Video Transmission"Proceedings of the 2nd International Conference on Trends in Electronics and Informatics (ICOEI 2018) IEEE Conference Record: # 42666; IEEE Xplore ISBN:978-1-5386-3570-4.

- [2] Ahsanul Hoque, Md. Baijid Hasan Shorif Shekh Nuruzzaman and Md. Eftekhar Alam, "Arduino based Battlefield Assistive Robot" 2017 IEEE Region 10 Humanitarian Technology Conference (R10-HTC) 21 - 23 Dec 2017, Dhaka, Bangladesh.
- [3] Jignesh Patoliya, Haard Mehta and Hitesh Patel, "Arduino Controlled War Field Spy Robot using Night Vision Wireless Camera and Android Application" 2015 5th Nirma University International Conference on Engineering (NUiCONE).
- [4] Mohammad Shoeb Shah, Borole. P.B. "Surveillance And Rescue Robot Using Android Smart Phone And Internet". International Conference on Communication And Signal Processing, India. (2016)
- [5] G. Anandravisekar et.al "IOT Based Surveillance Robot" International Journal of Engineering Research & Technology (IJERT) ISSN: 2278- 0181 Vol. 7 Issue 03, March-2018.
- [6] Suddha Chowdhury and Mahmud Rafiq "A proposal of user friendly alive human detection robot to tackle crisis situation", IEEE paper published in year 2012.
- [7] V. Abilash1 and J. Paul Chandra Kumar," Arduino controlled landmine detection robot"2017 Third International Conference On Science Technology Engineering and Management (ICONSTEM).
- [8] Habib M.K., "Mine detection and sensing technologies-new development potentials in the context of humanitarian demining," in Industrial Electronics Society.
- [9] S. Gowda, "Autonomous robotic landmine detection, mapping and avoidance," MSc thesis, University of Texas at Arlington, May 2015.
- [10] Landmines – Trial of terror. New Internationalist magazine, issue 294, September 1997.
- [11] [11] Souvik Saha Et al." GPS Based Smart Spy Surveillance Robotic System Using Raspberry Pi for Security Application and Remote Sensing" . 2017 8th IEEE Annual Information Technology, Electronics and Mobile Communication Conference (IEMCON).
- [12] Kumar, R. Praveen, and S. Smys. "Analysis of Dynamic Topology Wireless Sensor Networks for the Internet of Things (IOT).