



ISSN: 2454-9940



**INTERNATIONAL JOURNAL OF APPLIED
SCIENCE ENGINEERING AND MANAGEMENT**

E-Mail :
editor.ijasem@gmail.com
editor@ijasem.org

www.ijasem.org

Machine Learning

¹G Jyothi, ²Sai Deekshitha Gudala, ³Saritha Nandikanti

Abstract: The possibility of this research paper is to create attentiveness among upcoming scholars about recent advances in technology, specifically deep learning an area of machine learning which finds applications in big data analytics and artificial intelligence.

Keywords: Machine Learning, Deep Learning, Big Data, ArtificialIntelligence

1. INTRODUCTION

Machine learning, by its definition, is a field of computer Solution needs to be adapted to particular cases. E. g. Biometrics.

- Problem size is too vast for our limited reasoning capabilities. E. g. Calculating webpage ranks.

Consider the recognition of spoke speech, where an acoustic speech signal is converted to ASCII text. The pronunciation of a word may vary from person to person due to differences in age, gender or pronunciation, so in machine learning, the approach is to collect a large collection of sample utterances from diverse people and learn to plot these to words. As science that evolved from studying pattern recognition and another example, consider routin packets over a computer computational learning theory in artificial intelligence. It is the learning and building of algorithms that can learn from

and make predictions on data sets. These procedures operate by construction of a model from example inputs in order to make data-driven predictions or choices rather than following firm static program instructions.

“A computer program is said to learn from e perience E with respect to some task T and some performance measure P, if its performance on T, as measured by P, improves with experience E.” -- Tom Mitchell, Carnegie Mellon University.

So if we want our program to foresee, for example, traffic forms at a busy node (task T), we can run it through a machine grid. The trail maximizing the quality of service from source to destination changes regularly as the system traffic changes. A learning routing procedure is able to adapt to the best path by monitoring the network traffic

¹Associate Professor, Department of Information Technology, Bhoj Reddy Engineering College for Women, Hyderabad, India

^{2,3} Student, Department of Information Technology, Bhoj Reddy Engineering College for Women, Hyderabad, India

$$\theta_0 \quad \theta_1$$

Machine learning involves two types of tasks:-

- **Supervised machine learning:** The program is “trained” on a pre-defined set of “training examples”, which then facilitate its ability to reach an accurate conclusion when given new data.
- **Unsupervised machine learning:** The program is given a bunch of data and must find patterns and relationships therein.

learning process with data about previous traffic patterns

Consider a situation wherein we need a machine learning (experience E) and, if it has successfully “learned”, it will then do better at predicting upcoming traffic patterns (performance measure P). algorithm to make predictions. Our predictor is of the form

$$h(x) = \theta_0 + \theta_1 x$$

2. DEEP LEARNING

A new area of machine learning research,

which has been between the input and output layers. The extra introduced with the objective of moving machine learning closer to one of its original goals: Artificial Intelligence.

Deep learning draws its roots from Neocognitron; an Artificial Neuron Network (ANN) introduced by Kunihiko Fukushima in 1980. An ANN is an interconnected network of processing units emulating the network of neurons in the brain. The idea behind ANN was to develop a learning method by modeling the human brain. However, this method lost favor within the machine learning community owing to the fact that it required an impractical amount of time as well as a humungous amount

are known as Convolutional Neural Nets (CNN), or of data to train the network parameters application. Deep learning is a method to for any decent train multi-layer and (and hence the word “deep”) ANN using little data. This is the reason why ANN is back in the game. Using an example to compare Machine Learning with Deep Learning, we can say that if a machine learning algorithm learns parts of a face like

eyes and nose for face detection tasks, a deep learning the hidden layers during training. The matrix and vector

We need machine learning in the following cases:- Where and are constants. or every training example with x as input, there is a corresponding output y, which is known in advance. We compare values obtained from the

- Human expertise is absent. E. g. Navigating on Mars.
- Humans are unable to explain their expertise. E. g. Speech Recognition.
- Solution changes with time E. g. Temperature Control. predictor with the output y and try to minimize any differences in values by altering and . After multiple examples have been used for training, we are left with the optimized equation. Now, if we provide an input whose value is unknown, the predictor function will be able to give us an almost accurate estimate.


layers give it added levels of abstraction, thus enhancing its modelling capability. The most popular kinds of Deep Learning models,

simply ConvNets. These are type of feed-forward artificial neural network, extensively used in computer vision, where the individual neurons are tiled in such a way that they respond to overlapping regions in the visual field. In recent times, CNNs have also been successfully applied to automatic speech recognition (ASR). Deep Belief Networks and Convolutional Deep Belief Networks are some other popular deep learning architectures in use.

There are two disadvantages with DNNs. They are overfitting

computation time. Overfitting is when the DNN learns very specific details on the training data using its hidden layers. As a result, the DNN performs well if the training data is given as input, but poorly when the input data is different. This problem is solved by a method called “dropout” regularization where some units are randomly removed from

algorithm will learn extra features like the distance between eyes and the length of the nose. Hence Deep Learning is a major step away from Shallow Learning Algorithms. computations required here are well suited for GPUs. Hence, we could speed up the computations by harnessing their enormous processing power.



The term deep learning gained traction in mid 2000s after the


The figure below illustrates how categorizing of different “vanishing gradient problem” responsible for causing a images can be achieved using a deep learning model

- Speech Recognition E. g. Generating textual representation of speech from a sound clip.
- Artificial Intelligence E. g. Robotic Surgery
- Automotive Applications E. g. Self-Driving Cars
- Military and Surveillance E. g. Drones

3. DEEP LEARNING IN BIG DATA

Deep Learning and Big Data are two high-focus areas of data science. Deep learning algorithms extract complex data patterns, through a hierarchical learning process by analyzing and learning massive amounts of unsupervised data (Big Data). This makes it an extremely valuable tool for Big Data Analysers.

Big Data has 4 important characteristics, namely, Volume, Variety, Velocity and Veracity. They are Learning algorithms are mainly concerned with issues related to Volume and



where education in speed was solved in a publication by Geoffrey Hinton and Ruslan Salakhutdinov. They showed how a multi-every layer learns a single feature at a time. At the first layer it can learn the different edges; in the second, it could learn

layered feed forward neural network could be retrained at a time, treating each layer effectively in turn as a slightly more complex features like different parts of a face such as ears, noses and eyes. In the third layer it could learn

unsupervised restricted Boltzmann’s machine, then using supervised back-propagation for fine tuning.

A Deep Neural Network (DNN) is defined to be an Artificial Neural Network (ANN) with at least one hidden layer of units

even more complex features like the distance between eyes or face shapes. The final representations can be used in applications of categorization.

Applications of deep learning are as follows:-

- Optical Character Recognition E.g. Scanning an image and extracting text from it.

Variety. Deep Learning algorithms deal with massive amounts of data, i. e. Volume whereas shallow learning algorithms fail to understand complex data patterns which are inevitably present in large data sets. Moreover, Deep Learning deals with analyzing raw data presented in different formats from different sources, i. e. Variety in Big Data. This minimizes the need for input from human experts to retrieve features from all new data types found in Big Data.

Semantic Indexing, Data Tagging and Fast Information Retrieval are the main objectives of Deep Learning in Big Data. Consider data that is unstructured and unorganized. Haphazard storage of massive amounts of data cannot be used as a source of knowledge because looking through such data for specific topics of interest and retrieving all relevant and related information would be a tedious task. Using Semantic Indexing and Data Tagging, we identify patterns in the relationships between terms and concepts based on the principle that words used in the same context have similar meanings. The related words can then be stored close to each other in the memory. This helps us present data in a more comprehensive manner and helps in improving efficiency. A direct result of such a form of storage would be that search engines would work more quickly and efficiently.

4. DEEP LEARNING IN ARTIFICIAL INTELLIGENCE

Artificial Intelligence is the theory and development of computers which are capable of performing tasks which humans can. Deep learning represents the rudimentary level of attempts towards achieving this task. It is utilized in visual perception, speech recognition, game playing, expert

systems, decision-making, medicine, aviation and translation between languages. In the gaming industry, Artificial Intelligence could be useful as we could have a 'gamebot' stand as an opponent when a human player is not available. We could also have deep learning algorithms suggest how enemy spawns could be strategically placed in the arena to obtain different levels of difficulty. The military as well as aviation industries can use Artificial intelligence to sort information related to air traffic and then provide their pilots with the best techniques to avoid the traffic. A medical clinic can use Artificial Intelligence systems to organize bed schedules, staff rotations and provide medical information.

5. CONCLUSION

Deep learning techniques have been criticized because there is no way of representing causal relationships (such as between diseases and their symptoms), and the algorithms fail to acquire abstract ideas like "sibling" or "identical to." Not much theory is available for most of the methods which is disadvantageous to beginners. Deep Learning is only a small step towards building machines which have human-like intelligence. Further advancements must be made in order to achieve our ultimate goal. Organizations like Google, Facebook, Microsoft and Baidu (a Chinese search engine) are buying into this technology and exploring various avenues available. For example, Facebook is using deep learning to automatically tag uploaded pictures. Google's Deep Mind focusses on exploring new techniques in this

area. Recent trends show that the interest in machine learning has only been growing with time and has sparked an interest in countries like India and Singapore. Thus it has emerged as one of the most promising fields of technology in recent times.

6. REFERENCES

- [1] D. Bouchaffra, F. ykhef in "mathematical model for machine learning and pattern recognition".
- [2] Itamar Arel, Derek C. Rose and Thomas P Karnowski in "Deep Learning – A New Frontier in Artificial Intelligence Research".
- [3] Alexander J. Stimpson and Mary L. Cummings in "Assessing Intervention Timing in Computer-Based Education using Machine Learning Algorithms".
- [4] Li Deng, Geoffrey Hinton and Brian Kingsbury Microsoft Research, Redmond, WA, USA in "New Types of Deep Learning for Speech Recognition and Related Applications: An overview".
- [5] Maryam M Najafabadi, Flavio Villanustre, Taghi M Khoshgoftaar, Naeem Seliya Wald and Edin Muharemagic in "journal of big data".
- [6] Deep learning by Nando de Freitas
- [7] An Introduction to Machine Learning Theory And Its Applications: A Visual Tutorial with Examples by Nick Mccrea
- [8] A Deep Learning Tutorial: From Perceptrons To Deep Networks