ISSN: 2454-9940



INTERNATIONAL JOURNAL OF APPLIED SCIENCE ENGINEERING AND MANAGEMENT

E-Mail : editor.ijasem@gmail.com editor@ijasem.org





A ROAD ACCIDENT PREDICTION MODEL USING DATA MINING TECHNIQUES SHANBHAGAM¹, RAI DIVYASRI², SHAMANTHULA VISHAL³, SHIVAGOUNI KALYANI⁴, VERASANI LAVANYA⁵

ABSTRACT

Due to the exponentially increasing number of vehicles on the road, the number of accidents occurring on a daily basis is also increasing at an alarming rate. With the high number of traffic incidents and deaths these days, the ability to forecast the number of traffic accidents over a given time is important for the transportation department to make scientific decisions. In this scenario, it will be good to analyze the occurrence of accidents so that this can be further used to help us in coming up with techniques to reduce them. Even though uncertainty is a characteristic trait of majority of the accidents, over a period of time, there is a level of regularity that is perceived on observing the accidents occurring in a particular area. This regularity can be made use of in making well informed predictions on accident occurrences in an area and developing accident prediction models. In this paper, we have studied the inter relationships between road accidents, condition of a road and the role of environmental factors in the occurrence of an accident. We have made use of data mining techniques in developing an accident prediction model using Apriori algorithm and Support Vector Machines. Bangalore road accident datasets for the years 2014 to 2017 available in the internet have been made use for this study. The results from this study can be advantageously used by several stakeholders including and not limited to the government public work departments, contractors and other automobile industries in better designing roads and vehicles based on the estimates obtained.

INTRODUCTION

The alarming rate of increase of accidents in India is now a cause for serious concern. According to some recent statistics [1], India accounts for roughly six percent of global road accidents while owning only one global percent of the vehicle population. There are a lot of accident cases reported due to the negligence of two-wheelers, whereas over-speeding is also another contributing factor. Accidents caused while under the influence of alcohol or during general

traffic violations are also common. In spite of having set regulations and the highway codes, the negligence of people towards the speed of the vehicle, the vehicle condition and their own negligence of not wearing helmets has caused a lot of accidents. While the major cause of road accidents is attributed to the increasing number of vehicles, the role played by the condition of the roads and other environmental factors cannot be overlooked.

¹Assistant Professor, Dept of CSE, MALLA REDDY INSTITUTE OF ENGINEERING AND TECHNOLOGY(AUTONOMOUS),Dhulapally,Secundrabad, Hyderabad, Telangana, India. ^{2,3,4,5} UG Students, Dept of CSE, MALLA REDDY INSTITUTE OF ENGINEERING AND TECHNOLOGY(AUTONOMOUS),Dhulapally,Secundrabad, Hyderabad, Telangana, India.



The number of deaths due to road accidents in India is indeed a cause for worry. The scenario is very dismal with more than 137.000 people succumbing to injuries from road accidents. This figure is more than four times the annual death toll from terrorism. Accidents involving heavy goods vehicles like trucks and even those involving commercial vehicles used for public transportation like buses are some of the most fatal kind of accidents that occur, claiming the lives of innocent people. Weather conditions like rain, fog, etc., also play a role in catalysing the risk of accidents. Thus, having a proper estimation of accidents and knowledge of accident hotspots and ca sing factors will help in taking steps to reduce them. This requires a keen study on accidents and development of accident prediction models.

To implement a well designed road framework management system for looking into road security aspects, it is often desired to have an optimized accident prediction model which can analyze potential issues arising due to infrastructure fallbacks and to estimate the effect of existing models in reducing the occurrence of accidents. The main challenge involved in the creation of such a model include the evaluation of the weight that can be attributed to the impact of each variable in contributing to the accident and assessing how the model can be best designed to of all such incorporate the effect variables. Data mining techniques and models have in the past been found useful for the purpose of data interpretation in a variety of domains including but not limited to credit risk management, fraud detection. healthcare informatics. recommendation systems and so on.

Approaches involving artificial intelligence and machine learning have further helped to augment these studies. For this paper, we have investigated the inter-relationship between the occurrences of ro d accidents and the roles played by the underlying road conditions and environmental factors in contributing to the same. Since such a study requires us to cover several aspects affecting accidents, we can make use of data mining techniques to analyze this data to extract relevant details from them, as these huge volumes of data would 1618otherwise be meaningless without the right interpretation applied to them.

In this paper, we are discussing the effects of such an prediction accident model in identifying the risks involved in road accident scenarios. The next section discusses the prior works done with respect to analyzing the different accidents that have taken place over the years. This is followed by a summarized description of the methodology used in this work. Further, the different components of implementation including the system architecture, software and languages used, simulation, user interface and screenshots of the developed application are discussed. Finally, the discussion and conclusions derived from the present study and the future scopes are outlined in the last two sections. The results from this study have been used to propose a model that can be used as a tool to estimate the possibility of road accidents in a particular area chosen by the user.

EXISTING SYSTEM

Williams et al. [5] have found through their studies that the age and experience of a driver also play a



major role in the occurrence of accidents. Suganya, E. S. and Vijayarani [6] in their paper have analysed the road accidents in India and compared the performance of different classification algorithms such as linear regression, logistic regression, decision tree, SVM, Naïve Bayes, KNN, Random Forest and gradient boosting algorithm using accuracy, error rate and execution time as a measure of performance. They have found the performance of KNN to be better than that of the others.

Sarkar et al. [7] have done a comparative study on the type of roads that are prominent in accidents. While exploring the components other associated with accidents, they have found that the occurrence of accidents in highways is more common than in a normal road similar to [4]. Stewart et al. [8] have utilized original data in building a neural network model to predict accidents. They found that this model was able to give quicker results than those being used in the models built on Indian roads.

Zheng et al. [9] have studied the range of injuries that come forth in a motor vehicle accident and have also analyzed the emotions of the drivers involved in the accidents that could have been a causal factor. Arun Prasath N and Muthusamy.

Punithavalli [10] have conducted an extensive survey on the different techniques used in road accident detection over the years, the approaches implemented in them and discusses their merits and de-merits.

George Yannis et al. [11], in their paper, have discussed about the current practices used in the development of accident prediction models on an international level. Detailed information on various models have been collected with the help of questionnaires and they have made use of this data to identify which could be the most useful model that can be applied for accident prediction.

Anand, J. V [12] has developed a method to determine the effect of different variables in the detection and prediction of atmospheric deterioration all over the world. Fuzzy C means clustering, R-studio, and the ARIMA frame work have been made use of in this method. similar creating Α approach can also be tried in evaluating the impact of various factors on road accidents. Analyzing the original cause of accidents is important because this will tell us the impact factor and contribution of each towards road attribute accidents. Tiwari et al. [13] have made use of self-organizing maps, K-mode clustering techniques, Support Vector Machines, Naïve Bayes and Decision tree to classify the data from road accidents based on the type of road users.

Disadvantages

1) The system doesn't have facility to train and test on large number of numbers.

2) The system doesn't measure an accurate road accident due to poor classification models.

PROPOSED SYSTEM

In the proposed system, the system has built an application that is capable of predicting the possibility of occurrence of accidents based on available road accident data. Data pre-processing is done on this road accident data to The obtain dataset. data a preprocessing step includes cleaning to remove the null and garbage values, and normalization of the data, followed by feature selection, where only relevant features from the original dataset are selected to be included in the final dataset. The dataset is then



subjected to different data mining techniques. Clustering is performed on this dataset. The clusters are then subjected to other algorithms like Support Vector Machines (SVM) and Apriori. Since the data being used for the study has an unknown distribution and we need to sort out the frequent and infrequent items in the dataset, the former (SVM) is used to predict the probable risk of accidents while the latter (Apriori) is applied to perform rule mining, that is, to generate a frequent item set based on given support and confidence values.

Rules have been set considering different combinations of factors which have caused accidents of varying nature and severity in different road types and weather conditions. For the frequently occurring item sets, the chosen support and confidence values imply the higher probability of the particular combination of attributes in leading to an accident. For example, based on the rule mining done, the probable risk of an accident occurring even during fine weather in a junction on account of over-speeding is high and could prove to be fatal based on the training dataset. SVM classification has been used to characterize each accident event into a high or a low risk category. Various data mining techniques and exploratory visualization techniques are applied on the accident dataset to get the interpreted results ..

Advantages

1) These optimized models can be efficiently utilized by the government to reduce road accidents and to implement policies for road safety.

2) The overall model has helped to give an understanding of the combinations of factors that have proven fatal in accident scenarios.

IMPLEMENTATION Service Provider In this module, the Service Provider has to login by using valid user name and password. After login successful he can do some operations such as DataSets and Browse Train & Test.View Trained and Tested Accuracy in Bar Chart, View Trained and Tested Accuracy Results, View All Road Accident Prediction, Find Road Accident Prediction Type Ratio, View Road Accident Ratio Results, Download Predicted Data Sets. View All Remote Users.

View and Authorize Users

In this module, the admin can view the list of users who all registered. In this, the admin can view the user's details such as, user name, email, address and admin authorizes the users.

Remote User

In this module, there are n numbers of users are present. User should register before doing any operations. Once user registers, their details will be stored to the database. After registration successful, he has to login by using authorized user name and password. Once Login is successful user will do some operations like PREDICT ROAD ACCIDENT STATUS, VIEW YOUR PROFILE.

Operation:

Raw datasets were terribly filthy, not in a format that computer machines could understand. and provided partial data to use as is. The effectiveness of the crash severity prediction model will be reduced if such datasets are used. As a result, irrelevant should datasets be eliminated in order to generate maximum data. Before designing the model, the researchers was using an expensive data preparation technique to obtain relevant and determinant potential risks, such as cleaning the data, missing value handling, outlier management, dealing with absolute value encoding, and standardization.



Fig.1. Home page.



Fig.2. Login details.



Fig.3. Registration page.



Fig.4. Prediction of dataset.

- Personal -	The second	-	200	194
a Torona	A District on the Community	10 Time 11 148 797		
E Paranti Parati	in Name Person	Contract of the local		
	of Personal State	1000 (mar 20, 20, 20, 20, 20, 20, 20, 20, 20, 20,		
alane	C. Andrew Press, Strategier	10 Direct 2 Aug. 744		144
() haven	(2 basing	10 line 12 11 (199		
2 10.00	(The force of persons)	31 Nov. (1100 1001	Annual Cline L	10.14
and Robertson				
-				
a lower				
Sciencilla (i)				
Salar Star Stars (St.				
An Interface (1) (in the latential) (in the latential)				
Salar Star Stars (St.				
An Interface (1) (in the latential) (in the latential)				
An Interface (1) (in the latential) (in the latential)				
An Interface (1) (in the latential) (in the latential)				



in.	100 TO 100 TO 100	Taxana harana									
	and the state	and seems the first the									
	4.44						day and	The American State	-		
	100	XX	State and			10 2 2	1.12		100		
-	Press 18-1		Marian.	1.18			and Design in	and the second second	1000		
	and the second second				distant -	and the second second	-	A Contractory of the local division of the l	-		
		a state of the second s		-							
-	41 · · · · ·	A Street, Acres	_	_	_		_		-		
	and the second second								A		
12	states of the		Secto, Stor	t. 1.994A	Darford Tortlett	Lighting (Televise, New	1,7944	INF. I THREE MAN	£		
10	LAPER DIVISION AND A		States	-020489	rest, Sector.	Dermon Annual Street	1.149	10.00			
٢.	Lating Constitute Auto		700011-0	10.000	etti mye, i kanışı	Daulight, Marring 5, Nord	10000	10.00			
	1.20-bit Drivering Rost Net		Train .	SIMPA	West, Street,	Caulant Provide Park	Are Alte	#17#			
	1.20% CONTRACTOR	Augmentations.	Driefs -	Math.		Sectors for our law	wiahim .	of Amphonese			
	1.0101011110103200208	designed by the boundary of the	Reading	100.	199	Indept-Text-off-Store	- 0.00 ·	10.1m			
	a strik triatesphistori	dening/Ealing publications.	Security .	10.000	additioners, 7 Sample	Stalight interactivities	- 10km	All Presid and	1.0		
	a shield interney bitalist	that fastering	meniles	101	invest (limma)	Spinoris, from which from	ing hanging	10.04	1.1		
67	1 pinel company bistory	- Devis and Deces	monally.	the state	ing.	(might freedoute)	1.044	10.04	1.0		
к.	A product of a log black of	And using with two spatiants	Deproyant.	10.4	ing.	lighting, the other lines	· Include	Now	1.80		
ε.	1-blood company block-of-	Automation and the second	linely .	1000 0	ing.	Indigit (frequently from	- 1000	10 Percent 41			
е.	children overlag boards	Apr. 211 (2010)	Physics	100.000	ing street, i down	Integra chie contrares	riget Natio	1000	1.0		
÷		Second photos output pasters	anay .	PETER.	1.000	manager in a constraint	rigil Apressi	10.00-0100	1.00		
÷	1.0008-Disation Boartub	dress (parally in	strengths .	199.4	(b4) (bes)	Springh, Song or P. Mag		1014			
÷	a study of the reaction of the	della attituta	100414-008	100.0	1001-100200	Particular Vote Laboration	1000	10114	1.0		
61	a store of the bag board in	delining contract particular	al-sale-	1891.1	100	Owners this path land	a lantais	20.200			
e	1 your constantion from the	the period total a	144444-1485	121.4	194	Independent of the solid strates	digitalists '	TRUW .			
ŧŝ.	Lords officers a lot of	Approximation of the processing of the second	Ares .	URD A	THE COMPANY	phalippi interaction from		10100			
ē.		- Berrighting erfreisissenet	bruly .	ARE A	-www.commun	Shaliph I may other dama		10.00			
ŧ.	Long-crienteening-bioth.		Stat.	60218	internal Strengt	Dairph Links (C), Dies		-000P			
8	12-0-01-01-00-01-0		Sample.	10214	Street, Street,	Statight Avenue of the se		1000			
1	Line realized in the lot of the l		man	LABOR A	Anno Annos	insight this adverture		* * Dat			
	(Libral Division Boards)	Book perficies	This is all a local	1883	34	Shalight (Derrodulture	- been	ALC: N	100		
18	A good otherway board of		Statute	100.0	1000	Carlogen And other Party	Contractory of	and an other	1000		

Fig.6. Dataset with rows and columns.



Fig.7. SVM accuracy.




Fig.8. Accuracy of output. **CONCLUSION**

An accident can change the lives of many people. It is up to each of us to bring down this increasing number. This can be made possible by adopting safe driving measures to an extent. Since all instances of accidents cannot be attributed to the same cause, proper precautionary measures will also need to be exercised by the road development authorities in designing the structure of roads as well as by the automobile industries in creating better fatality reducing vehicle models. One

ISSN2454-9940 www.ijsem.org Vol 14, Issuse.4 Dec 2023



ISSN2454-9940 www.ijsem.org Vol 14, Issuse.4 Dec 2023

thing within our capability is to predict the possibility of an accident based on previous data and observations that can aid such authorities and industries. This project was successful in creating such an application that can help in efficient prediction of road accidents based on factors such as types of vehicles, age of the driver, age of the vehicle, weather condition and road structure, This model was implemented by making use of several data mining and machine learning algorithms applied over a dataset for Bangalore and has been successfully used to predict the ris probability of accidents over different areas with high accuracy. The model can be further optimized in future to include several constraints that have been left out in the current study. These optimized models can be efficiently utilized by government to reduce the road accidents and to implement policies for road safety. Another scope of this work would be to develop a mobile app that will help the drivers in choosing a route for a ride. A call out to the driver through the maps service can also be implemented that would also announce the risk probability in a chosen route along with the directions. This can then be implemented by service provider companies such as Uber, Ola and so on in future. This will also be useful in having a better surveillance of accident prone areas and providing emergency services in the event of an accident. Better road safety instructions can also be installed along the highways taking into account the risks obtained from this model.

REFERANCES

[1]

https://www.statista.com/topics/5982/r oad-accidents-in-india/

[2] Srivastava AN, Zane-Ulman B. (2005). Discovering recurring anomalies in text reports regarding complex space systems. In Aerospace Conference, IEEE. IEEE 3853-3862.

[3] Ghazizadeh M, McDonald AD, Lee JD. (2014). Text mining to decipher free-response consumer complaints: Insights from the nhtsa vehicle owner's complaint database. Human Factors 56(6): 1189-1203. http://dx.doi.org/10.1504/IJFCM.2017. 089439.

[4] Chen ZY, Chen CC. (2015). Identifying the stances of topic persons using a model-based expectationmaximization method. J. Inf. Sci. Eng 31(2): 573-595. http://dx.doi.org/10.1504/IJASM.2015. 068609

[5] Williams T, Betak J, Findley B. (2016). Text mining analysis of railroad accident investigation reports. 2016 Joint Rail Conference. In American Society of Mechanical V001T06A009-Engineers V001T06A009.

http://dx.doi.org/10.14299/ijser.2013.0 1.

[6] Suganya, E. and S. Vijayarani. "Analysis of road accidents in India using data mining classification algorithms." 2017 International Conference on Inventive Computing and Informatics (ICICI) (2017):1122-1126.

[7] Sarkar S, Pateshwari V, Maiti J. (2017). Predictive model for incident occurrences in steel plant in India. In ICCCNT 2017, IEEE, pp. 1-5. http://dx.doi.org/10.14299/ijser.2013.0 1.

[8] Stewart M, Liu W, Cardell-Oliver R, Griffin M. (2017). An interactive web-based toolset for knowledge discovery from short text log data. In International Conference on Advanced Data Mining and Applications. Springer, pp. 853-858. http://dx.doi.org/10.1007/978-3- 319-69179- 4_61.



[9] Zheng CT, Liu C, Wong HS. (2018). Corpus based topic diffusion for short text clustering. Neurocomputing 275: 2444-2458. http://dx.doi.org/10.1504/IJIT.2018.09 0859.

[10] ArunPrasath, N and Muthusamy Punithavalli. "A review on road accident detection using data mining techniques." International Journal of Advanced Research in Computer Science 9 (2018): 881-885.

George [11] Yannis, Anastasios Dragomanovits, Alexandra Laiou, Thomas Richter, Stephan Ruhl, Francesca La Torre, Lorenzo Domenichini, Daniel Graham, Niovi Karathodorou, Haojie Li (2016). "Use of accident prediction models in road safety management – an international inquiry". Transportation Research Procedia 14, pp. 4257 – 4266.