



ISSN: 2454-9940



**INTERNATIONAL JOURNAL OF APPLIED
SCIENCE ENGINEERING AND MANAGEMENT**

E-Mail :
editor.ijasem@gmail.com
editor@ijasem.org

www.ijasem.org

TRAFFIC RULES VIOLATION DETECTION SYSTEM BY USING DEEP LEARNING

K. VENKATESWARLU¹, SHYAMANTULA MUKESH KUMAR², ROHAN KUMAR JHA³,
PATTLORI RITHVIK REDDY⁴

¹Assistant professor, Dept.of CSE, Malla Reddy College of Engineering HYDERABAD.

^{2,3,4,5}UG Students, Department of ECM, Malla Reddy College of Engineering HYDERABAD.

ABSTRACT:

When it comes to socialism, security, and the compliance with safety regulations, as well as our own security concerns, real-time identification technologies are crucial. To prevent truck drivers from causing accidents or hitting people, traffic regulations are put in place. The rules of the road are crucial for everyone's safety. Additionally, they are to aid in managing the flow of online traffic for much improved efficiency. Management of Website Traffic According to that, offences are the primary cause of collisions, and India ranks first in the nation for road casualties. Because it is a manual procedure, the current system has some limitations when it comes to discovering guideline violations, on many occasions, we have found that the system becomes corrupted. An AI-developed system is another viable choice. Our technology can detect a wide variety of policy infractions, such as a truck driver disobeying a red light or failing to wear a safety helmet, among many others. One important aspect is the use of pre-installed video cameras to detect these infractions. By using an ML-based system, we can detect lawbreakers using image processing, get their licence plate numbers, categorise their offences as needed, and then punish them. Which will help make the enforcement of online traffic rules more effective.

Keywords: *ML, CNN, Perdition, GUI, sign, auto fine, speed detection, AI.*

INTRODUCTION

Worldwide, online traffic violations are becoming increasingly dangerous because of the increasing number of automobiles in densely

populated places, which may cause massive amounts of traffic [1]. Extreme property damage and accidents may occur as a result, which may be frightening for people. We need web traffic

violations finding technologies to fix the alarming problem and eliminate all those repercussions [2]. In order to do this, the system creates appropriate traffic regulations and applies penalties to those who do not adhere to them. As authorities track vehicles and roadways, a discovery system should be used to identify violations in real-time [3]. Because the technology can detect violations faster than humans, traffic regulators may utilise this to efficiently maintain safe streets. The online traffic violation system has an intuitive graphical user interface (GUI) that makes it easy for users to navigate, monitor, and respond to traffic infractions [4]. The capability to identify a prevalent kind of crime is present here. The primary focus of this system is to accurately detect and monitor the vehicles and their activities. In today's dynamic world, most developing countries are facing a significant issue with traffic regulation offences [5]. More and more people are breaking traffic laws, and the number of motorcycles on the road is also on the rise. It has always been difficult and risky to manage traffic in order to find violations. Despite this, it is still a formidable challenge since website traffic monitoring is now fully automated [6]. There were non-standard circumstances at the time of the picture's capture, including different plate size, turns, and lighting. Successfully

managing website traffic rule breaches is a crucial component of this profession [7]. An automated method for taking pictures using a computer and a camera is part of the proposed upgrade [8]. The work provides Automatic Number Plate Recognition (ANPR) services, as well as additional image control techniques for plate localization and character recognition, to help speed up and ensure accurate number plate recognition. Once the registration number is known, the SMS-based component notifies the vehicle owners of their traffic violations [9]. All that is needed for number plate discovery in this project is the capacity to instantly extract and identify the personalities of a car number plate from an image [10, 11]. Using a built-in personality identification programme, this device is able to take pictures, identify specific people in them, and then extract their identities. Extensive controls are necessary to prevent accidents on motorcycles because of their widespread usage and cheap cost. Damage to safety helmets may result in substantial costs, since they are mandated by traffic laws [12].

LITERATURE SURVEY

Tong, Aniruddha, et al. In the year 2020 The proposed system first uses YOLO-based object identification to find motorcycles, and then

it examines each bike for specific violations, such as not wearing a helmet or not crossing the street at the designated crosswalk. In order to identify cases of headgear infringement, a classifier based on a Convolutional Neural Network (CNN) is used. Among those cited is Ruben J. Franklin together with colleagues. In the year 2020 An effective tool for monitoring and penalising website traffic breaches is an infraction finding system that uses computer vision. We advise this system to be constructed using YOLOV3 items discovery for website traffic violation discoveries such as signal violation, bike speed, and motorbike count. [2] in

A group of researchers led by Chetan Kumar B. In the year 2020 Convolutional semantic networks (CNNs) and other things discovery formulae are used by applications that monitor online traffic. One surprise layer is required for each input and output of a neural network. the third

The other authors are Siddharth Tripathi. In the year 2019— They have really used a clever called CBITS in this little piece. Functions like pollution surveillance and accident detection are among those that will be reviewed. Regarding point [4], the authors are Helen Rose Mampilayil and colleagues. In the year 2019— This research

presents a method that can detect, automatically and without human intervention, infractions of one-way online traffic regulations. Since three-wheeled vehicles were more likely to violate one-way traffic restrictions, they were considered. [5]


EXISTING SYSTEM

Using the capabilities of these high-monitoring systems and combining them with Deep Learning to identify the offences is the concept of our solution. Human error and technical restrictions will be eradicated with this system. For the sake of socialism, safety, and regulatory compliance, as well as our own safety and security, real-time identification technologies are very critical. Legislation enacted to protect pedestrians and drivers from harm emphasises the significance of traffic laws for the protection of all road users. They are also meant to help control the flow of website traffic for better efficiency. Penalties for violating online traffic standards may range from a fine to a prison sentence or even a ban for driving trucks altogether, depending on the severity of the offence. It detects vehicles that transgress the traffic rules outlined on the internet, including but not limited to: failing to use a turn signal, driving in the other way, not donning a safety helmet, and many more offences. These lawbreakers often get away with

it because of clerical or technological mistakes, but accidents may also happen from time to time.

PROPOSED SYSTEM

Deep learning algorithms like Convolutional Neural Networks (CNNs) may take in an input picture, categorise its elements according to their relative significance (using learnable weights and predispositions), and then distinguish between them. When compared to other category formulae, the amount of pre-processing required by a ConvNet is much lower. With proper training, ConvNets may discover these filters/characteristics, in contrast to crude systems that need hand-engineered filters. The visual cortex served as an inspiration for the design of convolutional neural networks (CNNs), which mimic the connection pattern of neurons in the human brain. Every single neuron has a very small "Responsive Field" (the area of the visual field where it is most sensitive to stimuli). All of the visual space is covered by an overlap of such fields. By using the right filters, a ConvNet may effectively capture an image's spatial and temporal relationships. The approach is more suited to the picture dataset as a whole because of the reuse of weights and the lowering of criteria. The network may be trained to better recognise the picture's class, to put it simply.



3. METHODOLOGY

The system is fed video footage as input and the objects in motion are detected. The moving autos are sorted into certain classes using a detection version called YOLO version 3. The third iteration of the YOLO home detection algorithm is YOLOv3. Using a variety of methods, it ensures that data remains intact and can identify things with more precision. In order to create the classifier version, the Darknet-53 architecture is used. Car categorization serves the following purposes:

- Projection of Bounding Boxes
- Course Forecasting
- Predictions spanning various

Feature Extraction Module Forecasts for Bounding Boxes: Since it is a standalone network, each component of its convolutional area must be assessed independently in order to provide real-time object detection and categorization. By using logistic regression, this algorithm becomes ready for a respectable score. Here, 1 represents the overall overlap of the bounding boxes on the objects. Any erroneous assumption in this process results in loss of classification and identification, and it only predicts one bounding box ahead for one ground fact item. Additional bounding box priors will exist, the values of which may fall between the best and threshold limits. Except for category loss, these types of blunders will only result in recognition loss. For class prediction, this approach ditches the standard Softmax layer in favour of course-specific logistic classifiers. In order to achieve multi-label classification, this procedure is executed. Using the multi tag category, each box is able to identify the possible classes it contains. Projection on various scales: It detects boxes at three distinct scales for range recognition. Afterwards, qualities may be extracted from each scale using a method akin to functioning pyramid networks. YOLOv3 gains the ability to make predictions at various ranges by using the aforementioned method. A

maximum of three bounding boxes priors per scale may be achieved by dividing the bounding boxes priors generated from measurement clusters into three ranges. So, in all, there will be nine bounded boxes.

Retrieve Attributes: Compared to YOLO version2, it uses a new network called Darknet-53, which includes more features and 53 convolutional layers. Compared to Darknet-19, it is much stronger. Additionally, it outperforms ResNet-101/ResNet-152 in terms of efficacy.

Vehicles are located by use of the YOLOv3 version. The inspection of infraction cases follows the detection of trucks. The customer's attention is drawn to a traffic queue crossing the road in the preview of the provided video clip material. Because of the placement, this line indicates that the traffic light is red. A bordering box of eco-friendly colour surrounds the objects as they are spotted. Moving trucks are in breach of traffic laws if they cross the cent reline at the red light. Following the detection of the infringement, the shade of the bounding box around the truck becomes red.



Fig.1. Home page.




Fig.2. Input video.



Fig.3. Vehicle detection system.



Fig.4. Driving signal line.




Fig.5. Vehicle classification.

CONCLUSION

Driving ahead of the designated traffic queue is considered a traffic offence on the road. Compared to humans, the proposed system is much more efficient and operates much faster. Most of us know that traffic policemen are the ones who record individuals breaking website traffic laws, however online traffic cops can't detect and record many violations at once. The following formula successfully identified the kind of violation specified above, namely, crossing the traffic signal. For violations of traffic signals, the current system provides detection. Also, the machine can definitely refine one piece of data at a time. The program's sluggish runtime is another area that may benefit from a machine with a high processing rate. Since the current formula increases the system's runtime by ignoring several other needless items, it necessitates more research before it can be applied to other high-level picture processing techniques. We can improve the current system's performance by replacing the current algorithm with one from OpenCV. Our next goal is to enhance the system's functionality by detecting the licence plate of a vehicle that disobeys the traffic signal and by adding other online traffic offence issues.

ACKNOWLEDGMENT

We thank CMR Technical Campus for supporting this paper titled “**TRAFFIC RULES VIOLATION DETECTION SYSTEM BY USING DEEP LEARNING**”, which provided good facilities and support to accomplish our work. I sincerely thank our Chairman, Director, Deans, Head of the Department, Department Of Computer Science and Engineering, Guide and Teaching and Non- Teaching faculty members for giving valuable suggestions and guidance in every aspect of our work.

REFERENCES

- [1] Aniruddha Tonge, S. Chandak, R. Khiste, U. Khan and L. A. Bewoor, "Traffic Rules Violation Detection using Deep Learning," 2020 4th International Conference on Electronics, Communication and Aerospace Technology (ICECA), 2020, pp. 1250-1257, doi: 10.1109/ICECA49313.2020.9297495.
- [2] Ruben.J Franklin and Mohana, “Traffic Signal Violation Detection using Artificial Intelligence and Deep Learning, ”2020 5th International Conference on Communication and Electronics Systems (ICCES), 2020, PP. 839-844, doi: 10.1109/ICCES48766.2020.9137873.

- [3] Chetan Kumar B, R. Punitha and Mohana, "Performance Analysis of Object Detection Algorithm for Intelligent Traffic Surveillance System," 2020 Second International Conference on Inventive Research in Computing Applications (ICIRCA), 2020, pp. 573,579,doi:10.1109/ICIRCA48905.2020.9182793.
- [4] Siddharth Tripathi, Uthsav Shetty, Asif Hasnain, Rohini Hallikar,"Cloud Based Intelligent Traffic System to Implement Traffic Rules Violation Detection and Accident Detection Units", Proceedings of the Third International Conference on Trends in Electronics and Informatics (ICOEI 2019) IEEE Xplore Part Number: CFP19J32-ART; ISBN: 978- 1- 5386-9439- 8.
- [5] Helen Rose Mampilayil and R. K., "Deep learning-based Detection of One-Way Traffic Rule Violation of ThreeWheeler Vehicles," 2019 International Conference on Intelligent Computing and Control Systems (ICCS), 2019, pp. 1453- 1457, doi: 10.1109/ICCS45141.2019.9065638.
- [6] Ali Şentas, S. Kul and A. Sayar, "Real-Time Traffic Rules Infringing Determination Over the Video Stream: Wrong Way and Clearway Violation Detection," 2019International Artificial Intelligence and Data Processing Symposium (IDAP), 2019, pp. 1-4, doi:10.1109/IDAP.2019.8875889.
- [7] M. Purohit and A. R. Yadav, "Comparison of feature extraction techniques to recognize traffic rule violations using low processing embedded system," 2018 5thInternational Conference on Signal Processing and Integrated Networks (SPIN), 2018,pp. 154-158, doi: 10.1109/SPIN.2018.8474067
- [8] S. P. Mani Raj, B. Rupa, P. S. Sravanthi and G. K. Sushma, "Smart and Digitalized Traffic Rules Montioring System," 2018 3rd International Conference on Communication and Electronics Systems (ICCES), 2018, pp. 969-973, doi: 10.1109/CESYS.2018.8724086.
- [9] Shashank Singh Yadav, V. Vijayakumar and J. Athanesious, "Detection of Anomalies in Traffic SceneSurveillance," 2018 Tenth International Conference on Advanced Computing (ICoAC), 2018, pp. 286-291, doi: 10.1109/ICoAC44903.2018.8939111.
- [10] N. Krittayanawachet al., "RobustCompression Technique for YOLOv3 on Real-Time Vehicle Detection", 11th International Conference on Information

Technology and Electrical Engineering (ICITEE), Pattaya, Thailand, 2019.

[11] [github.com/anmspro/Traffic Signal Violation-Detection-System](https://github.com/anmspro/Traffic-Signal-Violation-Detection-System).

[12] Mohanaet.al., “Simulation of Object Detection Algorithms for Video Surveillance Applications”, 2 nd International Conference on I-SMAC (IoT in Social, Mobile ,Analytics and Cloud), 2018.

[13] YojanChitkaraet. al., “ Background Modelling techniques for foreground detection and Tracking using Gaussian Mixture model” International Conference on Computing Methodologies and Communication, 2019.

[14] Mohanaet.al., “Performance Evaluation of Background Modeling Methods for Object Detection and Tracking,” International Conference on Inventive Systems and Control, 2020

[15] N. Jain et.al., “Performance Analysis of Object Detection and Tracking Algorithms for Traffic Surveillance Applications using Neural Networks,” 2019 Third International conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud), 2019.